




Führungssäule ohne Zentrierbund

AZ 09



Werkstoff: 1.7139 ca. 700HV

Sonderabmessungen auf Anfrage


Bestellbeispiel:
4 Stck. AZ09/12/10x45

K	d ₁	d ₂	l	D	L	L ₁	€
3	14	16	4	9/10	12	45	4,78
3	14	16	4	9/10	17	20	3,11
						30	3,95
						35	4,40
3	14	16	4	9/10	22	25	3,95
						35	4,71
						55	6,45
3	14	16	4	9/10	27	25	4,32
						30	4,71
						35	5,16
						45	5,99
						50	6,45
3	14	16	4	9/10	36	25	4,93
						35	5,92
						45	6,45
3	14	16	4	9/10	46	30	6,45
						45	7,20
						55	8,43
						75	10,10
6	20	25	5	14/15	22	20	4,32
						35	5,92
						40	6,37
						45	6,98
						50	7,13
						55	7,82
						65	8,96
						70	9,41
						90	11,15
						110	13,35

K	d ₁	d ₂	l	D	L	L ₁	€
6	20	25	5	14/15	27	20	4,85
						35	6,37
						40	6,90
						45	7,13
						55	8,34
						65	9,41
						85	11,15
						105	13,28
6	20	25	5	14/15	36	20	5,76
						35	7,13
						40	7,82
						45	8,27
						55	9,41
						65	10,24
						75	11,15
						95	13,28
6	20	25	5	14/15	46	20	6,90
						35	8,27
						45	9,41
						65	11,15
						85	13,28
						105	15,79
6	20	25	5	14/15	56	20	7,82
						35	9,41
						55	11,15
						75	13,28
						95	15,79
6	20	25	5	14/15	66	55	12,37
						65	13,28
						95	16,84
6	20	25	5	14/15	76	55	13,28
						95	17,83
6	20	25	5	14/15	86	55	15,63
						95	19,80

Führungssäule ohne Zentrierbund

AZ 09



Werkstoff: 1.7139 ca. 700HV

Bestellbeispiel:

4 Stck. AZ09/12/10x45


Sonderabmessungen auf Anfrage

K	d ₁	d ₂	l	D	L	L ₁	€
6	26	31	7	18/20	22	20	4,93
						35	6,75
						40	7,29
						45	7,97
						50	8,57
						55	9,03
						60	9,64
						65	10,31
						70	11,00
						80	11,91
						85	12,75
						115	16,54
6	26	31	7	18/20	27	20	5,46
						35	7,29
						40	7,97
						45	8,57
						50	9,03
						55	9,64
						60	10,10
						65	11,00
						70	11,31
						80	12,75
						85	13,43
						105	15,70
						125	18,13
6	26	31	7	18/20	36	20	6,75
						35	8,57
						40	9,03
						45	9,64
						50	10,31
						55	11,00
						60	11,31
						65	11,91
						70	12,75
						75	13,43
						80	13,51
						95	15,70
						115	18,13
						135	20,25

K	d ₁	d ₂	l	D	L	L ₁	€
6	26	31	7	18/20	46	20	7,97
						45	11,00
						65	13,43
						85	15,70
						105	18,13
						135	21,39
						165	24,66
6	26	31	7	18/20	56	20	9,03
						35	11,00
						55	13,43
						75	15,70
						95	18,13
6	26	31	7	18/20	66	55	14,87
						75	17,07
						95	19,12
6	26	31	7	18/20	76	55	15,70
						75	18,13
						95	20,25
6	26	31	7	18/20	86	55	17,07
						75	19,12
						95	21,39
6	26	31	7	18/20	96	55	18,13
						95	22,61
6	26	31	7	18/20	116	115	26,94
6	30	35	7	22/24	27	25	5,99
						45	9,48
						50	10,31
						60	12,14
						65	12,98
						70	13,58
						80	14,87
						85	15,40
						105	18,36
						125	21,32
						165	27,31

Führungssäule ohne Zentrierbund

AZ 09



Werkstoff: 1.7139 ca. 700HV

Sonderabmessungen auf Anfrage

Bestellbeispiel:


4 Stck. AZ09/12/10x45

K	d ₁	d ₂	l	D	L	L ₁	€
6	30	35	7	22/24	36	25	6,98
						45	11,00
						50	12,14
						55	12,98
						60	13,58
						70	14,87
						75	15,40
						80	16,16
						95	18,36
						115	21,32
						135	24,05
						165	28,82
6	30	35	7	22/24	46	25	9,48
						45	12,98
						50	13,58
						60	14,87
						65	15,40
						70	16,16
						80	17,60
						85	18,36
						105	21,32
						125	24,05
						165	30,19
6	30	35	7	22/24	56	25	11,00
						45	14,03
						55	15,40
						75	18,36
						95	21,32
						115	24,05
						165	31,10
6	30	35	7	22/24	66	55	17,14
						75	19,88
						95	22,53

K	d ₁	d ₂	l	D	L	L ₁	€
6	30	35	7	22/24	76	25	14,03
						45	17,00
						55	18,36
						75	21,32
						95	24,05
						115	27,31
6	30	35	7	22/24	86	55	19,88
						75	22,53
						95	25,41
6	30	35	7	22/24	96	55	21,32
						75	24,05
						95	27,31
6	30	35	7	22/24	116	75	27,31
						115	32,47
						155	36,11
6	30	35	7	22/24	136	135	36,11
6	42	47	7	30/32	27	45	8,34
						65	12,59
						105	17,98
						165	26,48
6	42	47	7	30/32	36	55	12,82
						75	15,02
						95	18,06
						115	20,94
						155	26,48
6	42	47	7	30/32	46	45	12,82
						65	15,02
						85	18,06
						105	20,94
						125	23,45
						165	29,44

Führungssäule ohne Zentrierbund

AZ 09



Werkstoff: 1.7139 ca. 700HV

Bestellbeispiel:

4 Stck. AZ09/56/32x55

Sonderabmessungen auf Anfrage


K	d ₁	d ₂	l	D	L	L ₁	€
6	42	47	7	30/32	56	55	15,02
						75	18,06
						95	20,94
						115	23,45
						135	26,48
						175	32,24
6	42	47	7	30/32	66	55	16,61
						75	19,58
						95	22,23
						115	24,81
						135	28,07
						175	33,30
6	42	47	7	30/32	76	55	18,06
						75	20,94
						95	23,45
						115	26,48
						155	32,24
6	42	47	7	30/32	86	55	19,58
						75	22,23
						95	24,81
						115	28,07
						155	33,30
6	42	47	7	30/32	96	55	20,94
						75	23,45
						95	26,55
						115	29,44
						155	34,74
6	42	47	7	30/32	116	75	26,48
						115	32,24
						155	36,34
6	42	47	7	30/32	136	95	32,24
						115	34,74
						155	38,01

K	d ₁	d ₂	l	D	L	L ₁	€
6	42	47	7	30/32	156	115	36,34
						155	39,68
6	42	47	7	30/32	196	155	41,35
						195	44,08
10	54	59	10	40/42	56	75	27,31
						115	34,74
						155	43,32
						195	52,12
10	54	59	10	40/42	66	75	29,14
						135	41,04
10	54	59	10	40/42	76	75	31,33
						115	38,85
						175	52,12
10	54	59	10	40/42	86	75	33,00
						135	45,29
10	54	59	10	40/42	96	75	34,74
						115	43,32
						155	52,12
10	54	59	10	40/42	116	95	43,32
						135	52,12
						195	66,09
10	54	59	10	40/42	136	95	47,19
						135	57,13
						215	80,49
10	54	59	10	40/42	156	115	57,14
						155	66,09
						215	84,37
10	54	59	10	40/42	196	155	78,22
						195	90,43
						235	101,51



Führungssäule ohne Zentrierbund

AZ 09



Werkstoff: 1.7139 ca. 700HV

Bestellbeispiel:

4 Stck. AZ09/96/52x115

Sonderabmessungen auf Anfrage

K	d ₁	d ₂	l	D	L	L ₁	€
10	66	71	10	50/52	96	115	58,34
						155	69,57
						195	81,79
10	66	71	10	50/52	116	135	68,20
						155	73,82
						195	85,50
10	66	71	10	50/52	136	135	73,22
						155	79,12
						195	90,82
10	66	71	10	50/52	156	155	84,90
						195	96,65
						235	108,57
10	66	71	10	50/52	196	175	98,25
						295	103,55
						235	115,25
20	80	86	10	60/62	96	115	72,15
						155	87,10
						195	101,97
20	80	86	10	60/62	116	135	84,37
						155	91,34
						195	104,09
20	80	86	10	60/62	136	135	92,71
						155	97,65
						195	112,05
20	80	86	10	60/62	156	155	110,47
						195	123,29
						235	138,38

K	d ₁	d ₂	l	D	L	L ₁	€
20	80	86	10	60/62	196	175	128,14
						195	133,22
						235	147,86
20	80	86	10	60/62	246	195	145,89
						235	156,44
						275	171,54
						315	183,75